

Jackson County, Indiana
Table A.--Acreage and Proportionate Extent of the Soils

04/17/2002

Map symbol	Soil name	Acres	Percent
AddA	Avonburg silt loam, 0 to 2 percent slopes-----	1,377	0.4
AddB2	Avonburg silt loam, 2 to 4 percent slopes, eroded-----	518	0.2
Ar	Armiesburg silty clay loam, sandy substratum, frequently flooded-----	8,128	2.5
Ay	Ayrshire fine sandy loam, sandy substratum-----	7,094	2.2
BbhA	Bartle silt loam, 0 to 2 percent slopes-----	17,608	5.4
BcrAW	Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration-----	6,504	2.0
BdB	Bedford silt loam, 2 to 6 percent slopes-----	2,998	0.9
BdhAH	Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration-----	1,955	0.6
BeG	Berks channery silt loam, 25 to 75 percent slopes-----	25,075	7.6
Bf	Birds silt loam, frequently flooded-----	12,639	3.8
BlF	Bloomfield fine sand, 15 to 45 percent slopes-----	1,343	0.4
BmB	Bloomfield-Alvin complex, 1 to 6 percent slopes-----	8,209	2.5
BmC2	Bloomfield-Alvin complex, 6 to 15 percent slopes, eroded-----	7,261	2.2
Bn	Bobtown loamy fine sand, 0 to 3 percent slopes-----	3,632	1.1
Bod2	Bonnell silt loam, 10 to 18 percent slopes, eroded-----	1,678	0.5
BodAV	Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration-----	89	*
BpD3	Bonnell silty clay loam, 10 to 18 percent slopes, severely eroded-----	906	0.3
CcB2	Cincinnati silt loam, 2 to 6 percent slopes, eroded-----	3,100	0.9
CcC2	Cincinnati silt loam, 6 to 12 percent slopes, eroded-----	5,423	1.6
CcC3	Cincinnati silt loam, 6 to 12 percent slopes, severely eroded-----	1,744	0.5
ClfA	Cobbssfork silt loam, 0 to 1 percent slopes-----	640	0.2
CoD	Coolville silt loam, 12 to 20 percent slopes-----	3,818	1.2
Df	Driftwood clay loam, frequently flooded-----	4,038	1.2
DuA	Dubois silt loam, 0 to 2 percent slopes-----	865	0.3
DuB2	Dubois silt loam, 2 to 6 percent slopes, eroded-----	4,788	1.5
FoA	Fox-Ockley sandy loams, sandy substratum, 0 to 2 percent slopes-----	1,848	0.6
Frd2	Frederick-Crider-Gilpin silt loams, 6 to 18 percent slopes, eroded-----	9,035	2.7
Ge	Genesee silt loam, frequently flooded-----	10,143	3.1
Gnd3	Gilpin silt loam, 12 to 18 percent slopes, severely eroded-----	2,343	0.7
GnF	Gilpin silt loam, 25 to 55 percent slopes-----	13,311	4.0
GpD	Gilpin-Wellston silt loams, 10 to 25 percent slopes-----	13,551	4.1
HdA	Haubstadt silt loam, 0 to 2 percent slopes-----	2,190	0.7
HdB2	Haubstadt silt loam, 2 to 6 percent slopes, eroded-----	13,854	4.2
Hm	Haymond silt loam, frequently flooded-----	3,812	1.2
HrE	Hickory loam, 15 to 45 percent slopes-----	1,701	0.5
KtF	Kurtz silt loam, 20 to 55 percent slopes-----	2,204	0.7
Ly	Lyles fine sandy loam-----	4,706	1.4
MfxA	Martinsville sandy loam, sandy substratum, 0 to 2 percent slopes-----	3,036	0.9
MkB2	Markland silt loam, 1 to 5 percent slopes, eroded-----	486	0.1
MmC3	Markland silty clay loam, 4 to 12 percent slopes, severely eroded-----	448	0.1
MrA	McGary silty clay loam, 0 to 2 percent slopes-----	661	0.2
MtB2	Medora silt loam, 2 to 6 percent slopes, eroded-----	1,441	0.4
MtC2	Medora silt loam, 6 to 12 percent slopes, eroded-----	1,320	0.4
NaaA	Nabb silt loam, 0 to 2 percent slopes-----	870	0.3
NaaB2	Nabb silt loam, 2 to 6 percent slopes, eroded-----	5,266	1.6
NeD2	Negley silt loam, 12 to 18 percent slopes, eroded-----	1,083	0.3

See footnote at end of table.

Table A.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
NgE	Negley loam, 18 to 35 percent slopes-----	546	0.2
NnA	Nineveh variant sandy loam, occasionally flooded, 0 to 2 percent slopes-----	1,508	0.5
Omz	Orthents, earthen dam-----	15	*
OtC2	Otwell silt loam, 6 to 12 percent slopes, eroded-----	3,521	1.1
OtC3	Otwell silt loam, 6 to 12 percent slopes, severely eroded-----	2,988	0.9
PaB2	Parke silt loam, 2 to 6 percent slopes, eroded-----	1,240	0.4
PaC2	Parke silt loam, 6 to 12 percent slopes, eroded-----	949	0.3
PeB2	Pekin silt loam, 2 to 6 percent slopes, eroded-----	793	0.2
PhaA	Peoga silt loam, 0 to 1 percent slopes-----	16,057	4.9
Pp	Piopolis silty clay loam, frequently flooded-----	5,813	1.8
RaC3	Rarden silt loam, 6 to 12 percent slopes, severely eroded-----	627	0.2
RdD3	Rarden silty clay loam, 12 to 20 percent slopes, severely eroded-----	939	0.3
RoA	Roby variant sandy loam, rarely flooded, 0 to 2 percent slopes-----	1,519	0.5
RtxAH	Rossburg silt loam, 0 to 2 percent slopes, frequently flooded, brief duration-----	471	0.1
Ru	Ruark variant sandy loam, occasionally flooded-----	1,718	0.5
Sf	Steff silt loam, frequently flooded-----	2,368	0.7
Sg	Steff silt loam, rarely flooded-----	3,577	1.1
SlDhA	Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration-----	1,563	0.5
Sn	Stendal silt loam, frequently flooded-----	5,981	1.8
SsC2	Stonehead silt loam, 4 to 12 percent slopes, eroded-----	3,760	1.1
St	Stonelick fine sandy loam, frequently flooded-----	4,096	1.2
StdAQ	Stendal silt loam, 0 to 2 percent slopes, rarely flooded-----	9,332	2.8
SyA	Stoy silt loam, 0 to 2 percent slopes-----	1,917	0.6
TlB2	Tilsit silt loam, 2 to 6 percent slopes, eroded-----	2,014	0.6
TlC2	Tilsit silt loam, 6 to 12 percent slopes, eroded-----	2,386	0.7
Ud	Udorthents-Aquents complex-----	3,762	1.1
W	Water-----	3,352	1.0
Wa	Wakeland silt loam, frequently flooded-----	3,729	1.1
WeD2	Wellston silt loam, 12 to 18 percent slopes, eroded-----	3,764	1.1
Wk	Whitaker sandy loam, frequently flooded-----	3,702	1.1
Wo	Whitaker variant loam, frequently flooded-----	1,719	0.5
Wr	Wilbur silt loam, frequently flooded-----	1,715	0.5

WsyAQ	Whitaker sandy loam, 0 to 2 percent slopes, rarely flooded-----	2,138	0.7
Wt	Wilhite silty clay, frequently flooded-----	3,587	1.1
Zp	Zipp silty clay, frequently flooded-----	914	0.3
	Total-----	328,819	100.0

* Less than 0.1 percent.